Printed area H 320mm x W 255mm
Size of bag include sealing: H 350 x W 275mm

KEEP OUT OF REACH OF CHILDREN

DIURON	GROUP	5/C1	HERBICIDE

KEN-URON 800 WP

Active Ingredient	**: Diuron.....**	**800 g/Kg**
Inert Ingredients	**: .....**	**200 g/Kg**

A wettable powder to be mixed in water and applied as a spray for selective control of weeds in certain crops and for non selective weed control on non-crop land areas. Moisture required to activate the chemical





Net Weight:
1 KG

FPA Registration No: 780-021-6460

Registered with the Fertilizer and Pesticide Authority Pursuant P.D 1144

Imported and Distributed by: Kenso Philippines Inc.
9F Filinvest One Building, Northgate Cyberzone, Alabang-Zapote Road Corner Northgate Avenue, Filinvest City, Alabang, Muntinlupa 1781, Philippines



Directions For Use
Pre calibrate spray equipment to be used. Use fan type of flood type jet nozzle. Apply evenly to weeds or ground.

Crops	Method of Application	*Tbsp/16L Water
Citrus	Direct the spray application on Broadleaves and Annual grasses	13-19
Coffee	Direct on Annual and Perennial grasses	13-19
Sugarcane	Direct spray application on Broadleaves and Annual grasses	6.5-13
Cotton	Direct spray application on Broadleaves and Annual grasses	3-5
Coffee	Direct spray application on Broadleaves and Annual grasses	13
Coffee	Blanket spray application on Annual and Perennial grasses	20-28

*10grams = 1tbsp

Mixing:
Fill sprayer tank half to its capacity. In a separate container, add enough amount of water to the required quantity of the product and mix well until a thin paste is obtained. Pour the solution through the filler into the tank while agitating. Add water to fill the tank to its required level.

Method of application:
Make sure not to drain the solution near areas where roots of desirable plants may extend or in location where the herbicide may be washed or may take into contact with the roots. Prevent drift of powder or mist to desirable plants. Thoroughly clean spray equipment immediately after use.

Compatibility:
KEN-URON 800 WP is compatible with other commonly known herbicides.

Environmental Hazards:
This product is moderately toxic to mammals, birds, earthworm and aquatic species. Do not apply to any bod of water. Do not contaminate water by cleaning of equipment or disposal of waste.

Prohibition and Warranty:
It is a violation of FPA rules and regulations to use this product in a manner inconsistent with its label. No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risks and liability resulting from improper handling or use or application.

Storage and Disposal:
Store in original container, tightly closed in a cool dry place, away from feeds and foodstuff. Do not re-use empty containers.Bury the containers away from water sources.

Precautions:
KEN-URON 800 WP may irritate eyes, nose, throat and skin. Do not spray against the wind. Avoid skin and eye contact or inhalation of spray mist. Wear protective clothing such as overalls and waterproof gloves. Do not eat, drink or smoke while using this product. Wash hands and expose skin with soap and water after work and before eating and smoking. Wash contaminated clothing away from other clothing.

BABALA: Maaaring makapagpakati ng mata, ilong, lalamunan at balat. Huwag magbomba ng pasalungat sa hangin. Iwasang malanghap o mapunta sa balat o mata. Magsuot ng gamit pananggalang at guwantes. Huwag kumain, uminom o manigarilyo habang gumagamit nito. Magsabon ng mabuti ng mga kamay, bisig o mukha matapos magbomba at bago kumain. Labhang mabuti ang damit pagkatapos gamitin.

Symptoms of Poisoning:
Irritation of eyes, nose, throat and skin.

First Aid Treatment
If case of skin contact, remove contaminated clothing and wash affected areas with soap and water. If inhaled, bring patient to fresh air. In case of eye contamination, flush eyes with clean running water for 15 minutes and get medical attention or call Poison Control Center. If swallowed, and patient is conscious, give a glass of water. Do not induce vomiting unless told to do so by the doctor. Do not give anything by mouth to unconscious or convulsing person.
National Poison Management and Control Center Tel. No. : (02) 8524-1078 / 587-2067

Note to Physician:
In case of accidental oral intake, give small doses of activated charcoal and followed by sodium sulfate as cathartic after 3-4 minutes. In case large amount has been ingested, apply a careful gastric lavage.

Lot/Batch No. :
Date of Expiry :
Date of Manufacture :