Size: 281 x 150mm

Warning:
This product may be harmful if swallowed, inhaled or absorbed through the skin.

BABALA: Itago sa orihinal na lalagyan, nakasarang mahigpit at malayo sa pagkain ng tao at hayop. Magsuot ng damit pananggalang at gwantes habang naghahalo o nag-lispray. Iwasang malagyan ang balat o malanghap ang lason. Hugasang mabuti ang kamay, balat, braso at mukha bago kumain at pagkatapos magbomba. Iwasang mapunta ang lason o lalagyan nito sa lugar ng inuming tunig, lawa o dagat.

Signs and Symptoms of Poisoning:
These may include, but may not be limited to constriction of the eye pupil, blurred vision, excessive salivation or nasal discharge, profuse sweating, cramps, nausea, vomiting, tearing, tremors and convulsion.

First Aid Treatment:
If Swallowed: When patient is conscious and proper gastric lavage and medical treatment cannot be given within one hour, give 1-2 glasses of water and induce vomiting. Give activated charcoal if available (adult 100gms in 200 ml water, children-30-50gms in 100ml water).

If Inhaled: Remove from contaminated area and bring patient to fresh air. Get medical attention immediately.

In Case of Skin Contact: Remove contaminated clothing and wash affected area with plain soap and water.

If Eye Contamination: Flush eyes with clean, free flowing water for at least 15 minutes and get medical attention immediately.

Note to Physician:
No specific antidote. Provide supportive care. Treatment based on the judgement of the physician in response to the reactions of the patient.

NATIONAL POISON MANAGEMENT AND CONTROL CENTER
Tel. No. (02) 8524-1078/ 587-2067

Lot/Batch No.:
Date of Expiry :
Date of Manufacture :

KEEP OUT OF REACH OF CHILDREN

CYHALOFOP-BUTYL + BISPYRIBAC-SODIUM | GROUP 14 | HERBICIDE

KENSO Philippines Together we grow

KENCHER GOLD 200 OD

Active Ingredients	: Cyhalofop-butyl	160 g/L
	: Bispyribac-sodium	40 g/L
Inert Ingredients	: Solvent	800 g/L

Post-emergent herbicide for the control of major grasses, sedges and broandleaves infesting dry-direct-seeded rice





Net Weight:
1 Litre

FPA Registration No: 780-504-6910

Registered with the Fertilizer and Pesticide Authority Pursuant P.D 1144

Imported and Distributed by : Kenso Philippines Inc.
9F Filinvest One Building, Northgate Cyberzone, Alabang-Zapote Road Corner Northgate Avenue, Filinvest City, Alabang, Muntinlupa 1781, Philippines.

Directions For Use

Crops	Method of Application
Grasses : *Echinocloa spp., Leptocloa chinensis, Ischaemum rugosum*	500 mL to 1 LI FP/Ha (using a spray volume of 160 To 192 Li water/Ha)
Broadleaves : *Monochora veginalus, Sphenoclea zeylanica, Ludwigle octovalvis*	
Sedges : *Cyperus inia, Cyperus difformis, Fimbystillis littoris*	

Can be applied on the following windows:
12.15 DAS (mid Post) 21-25 DAS (Late post) or 30-40 DAS (Rescue)

Re-entry:
As soon as spray dries up.

Storage and Disposal:
Store in a cool, dry place protected from sunlight moisture and rain. Store in original container. Store away f rom any heat source and ignition point. Do not store near seeds, food and other foodstuff. Do not re-use container. Triple rinse the empty container before disposal. Buying or burning of empty containers is prohibited. Empty containers shall be brought to a DENR-EMB accredited facility for disposal and destruction.

Prohibition:
It is a violation of FPA rules and regulation to use this product in a manner inconsistent with its label.

Warranty:
No warranty of any kind expressed or implied is made concerning the use of this product. Users assumes all risks and liabilities arising from its handing, use or application.

Precautions:
Store in original container, tightly closed, away from foods and feedstuffs. While mixing or applying the product, wear protective clothing particularly gloves. Avoid skin contact and inhalation of spray mist. Wash hands and exposed skin before eating and after work. Dispose empty containers safely. Avoid contaminating of any water supply with chemical or empty container.

