Size: 238 mm x 100 mm

PRECAUTIONS: Store in original container tightly closed, away from feeds and foodstuffs. While mixing r applying, wear protective clothing, particularly gloves. Avoid skin contact and inhalation of dust and spray mist. Wash hands and expose skin before eating and after work. Dispose of empty containers safely. Avoid contamination of any water supply with chemical or empty containers.

KAUKULANG PAG-IINGAT:
limbak sa orihinal na lalagyan, itago sa lugar na malayo sa pagkain. Magsuot ng damit panaggalang at guwantes habang gumagamit nito. Iwasang madikit sa balat o malanghap. Hugasan ang kamay at mga bahagi ng katawan na nalagyan ng kemikal bago at pagkatapos gumamit nito. Mag-ingat sa pagtapon ng basyong lalagyan at iwasang malagyan ng kemikal ang ilog, lawa, kanal o anumang pinanggagalingan ng tubig.

SYMPTOMS OF POISONING:
Excessive sweating, tearing of eyes, salivation, headache, giddiness, blurred vision, nausea, vomiting abdominal cramps, diarrhea, chest tightness, constricted pupil, and discomfort. In severe poisoning, muscle twitching and inability to walk, coma, and respiratory arrest may occur.

FIRST AID TREATMENT:
If Swallowed : When patient is conscious and proper gastric lavage and medical treatment cannot be given within one hour, give 1-2 glasses of water and induce vomiting. Give activated charcoal if available (adult 100gms in 200 ml water, children – 30-50gms in 100ml water). Do not give anything by mouth to unconscious person. **If Inhaled :** Remove from contaminated area and bring patient to fresh air. Get medical attention immediately. **In Case of Skin Contact :** Remove contaminated clothing and wash affected area with plain soap and water.
If Eye Contamination : Flush eyes with clean, free flowing water for at least 15 minutes and get medical attention immediately.

NOTE TO PHYSICIAN:
Can cause irritation and sensitization on exposure to skin and mucous membrane. Product contain solvent, which can cause chemical pneumonitis. In case of systemic poisoning, treat symptomatically. Diazepam for convulsion and maintenance of fluid and electrolyte balance. In oral poisoning, avoid fats, oils and milk. Adrenaline and hydrocortisone may be indicated in anaphylactic reactions.

NATIONAL POISON MANAGEMENT AND CONTROL CENTER
Tel. No. (02) 8524-1078 / 587-2067

Lot/Batch No. :
Date of Expiry :
Date of Manufacture :

KEEP OUT OF REACH OF CHILDREN

CYPERMETHRIN | GROUP 3A | INSECTICIDE

KENCIS 50 EC

KENSO Philippines Together as one

Active Ingredient : Cypermethrin .....50 g/L
Inert Ingredients : ..... 950 g/L

For the control of insect pest of rice, tobacco, corn, mango, banana, beans, tomato, watermelon, cotton, cabbage and onion as specified under directions for use.



Net Weight:
500 ml

FPA Registration No: 780-037-7287

Registered with the Fertilizer and Pesticide Authority Pursuant P.D 1144

Imported and Distributed by : Kenso Philippines Inc.
9F Filinvest One Building, Northgate Cyberzone, Alabang-Zapote Road Corner Northgate Avenue, Filinvest City, Alabang, Muntinlupa 1781, Philippines.

Directions for Use

Crops	Insect pest	Tbsp / 16L Water
Banana	Thrips, Scarring beetles	1 - 3
Bean	Pod borers, Beanfly, Leafminer, Aphids, Cutworm	1 - 3
Cabbage	Diamond back moth, Cabbage moth, Cabbage Worm	1 - 3
Corn	Corn borer, Earworm	1 - 4.5
Cotton	Bollworm, Cutworm, Leafworm, Aphids, Leafhopper, Thrips, Boll weevil	1 - 3
Mango	Leafhopper, Twig borer, Tip borer, Fruit fly	1 - 3
Onion	Thrips, Cutworm	1 - 3
Rice	Grean leafhopper, Brown planthopper, White-backed planthopper, Leaffolder, Stem borer, Armyworm, Rice bug	1 - 3
Tobacco	Budworm, Cutworm, Aphids, Thrips	1 - 3
Tomato	Tomato fruitworm, Aphids, Beetle	1 - 3
Watermelon	Aphids, Thrips, Beetle	1 - 3

**1 Tbsp = 10 mL
*Spray volume of 200-600 L/ha for foliar spray and 60mL solution per bud for bud injection.

FREQUENCY AND TIMING OF APPLICATION
Start foliar application as soon as pests appear and repeat at 7 to 14 days interval if necessary. For banana, apply as bud injection to control thrips and as foliar spray to control scarring beetles.

COMPATIBILITY: Non-compatible with alkali-based compounds, e.g copper fungicides.

PRE-HARVEST INTERVAL: For all crops, 7 days.
RESISTANCE MANAGEMENT STATEMENT: Always use products at the recommended label rates and spray intervals with the appropriate application equipment. Rotations of different INSECTICIDE GROUP or Mode of Actions acts against rapid selection of resistant populations.

STORAGE AND DISPOSAL: Store in a cool, dry place protected from sunlight, moisture and rain. Store in original container. Store away from any heat source and ignition point. Do not store near seeds, food and other foodstuff. Do not re-use container. Triple rinse the empty container before disposal. Burying or burning of empty containers is prohibited. Empty containers shall be brought to a DENR-EMB accredited facility for disposal and destruction.

PROHIBITION / WARRANTY
It is a violation of FPA rules and regulations to use this product in a manner inconsistent with its label. No warranty expressed or implied is made concerning the use of this product. The user assumes all risks and liabilities resulting from improper handling, use, or application.

